

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| BeB: Belmore----- | 90 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 |
| BhA: Belmore----- | 90 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 |
| BhB: Belmore----- | 90 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 |
| BkA: Berrien----- | 90 | Somewhat limited Depth to saturated zone | 0.07 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.07 |
| BlA: Blount----- | 90 | Very limited Shrink-swell | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Shrink-swell | 1.00 |
| | | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 |
| BmA: Blount----- | 80 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Shrink-swell | 0.94 | Shrink-swell | 0.94 | Shrink-swell | 0.94 |
| BmB: Blount----- | 90 | Very limited Shrink-swell | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Shrink-swell | 1.00 |
| | | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 |
| BmB2: Blount----- | 90 | Very limited Shrink-swell | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Shrink-swell | 1.00 |
| | | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 |
| Bn: Bono----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|-------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Bo: Bono----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| Bp: Udorthents, Loamy--- | 100 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Slope Shrink-swell | 0.50 0.50 |
| Br: | | | | | | | |

| | | | | | | | |
|--|-----|---|--------------------------------------|---|--------------------------------------|---|--------------------------------------|
| Brookston----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| Bs: Brookston----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| Ca: Houghton, drained--- | 75 | Very limited Ponding Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 1.00 1.00 | Very limited Ponding Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 1.00 1.00 | Very limited Ponding Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 1.00 1.00 |
| ChB: Chelsea----- | 100 | Not limited | | Not limited | | Not limited | |
| ChC: Chelsea----- | 100 | Somewhat limited Slope | 0.04 | Somewhat limited Slope | 0.04 | Very limited Slope | 1.00 |
| ChD: Chelsea----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| CrA: Crosby----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| CsA: Crosby----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| CsB: Crosby----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Table ENG-3.--Building Site Development--Continued | | | | | | | |

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| CsB2: Crosby----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Dr: Del Rey----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| Ee: Eel----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 0.39 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.39 |
| Es: Eel----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 0.39 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.39 |
| FmA: Fox----- | 90 | Somewhat limited Shrink-swell | 0.50 | Not limited | | Somewhat limited Shrink-swell | 0.50 |
| FmB: Fox----- | 100 | Somewhat limited Shrink-swell | 0.50 | Not limited | | Somewhat limited Shrink-swell | 0.50 |
| FmC2: Fox----- | 100 | Somewhat limited Shrink-swell Slope | 0.50 0.04 | Somewhat limited Slope | 0.04 | Very limited Slope Shrink-swell | 1.00 0.50 |

| | | | | | | | |
|---------------------|----|--------------------------|------|--|--------------|--------------------------|------|
| Ge: | | | | | | | |
| Genesee----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| Gh: | | | | | | | |
| Genesee----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.15 | Very limited Flooding | 1.00 |
| Gm: | | | | | | | |
| Genesee----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.15 | Very limited Flooding | 1.00 |
| Gn: | | | | | | | |
| Genesee Variant---- | 90 | Very limited Flooding | 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.15 | Very limited Flooding | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Go: | | | | | | | |
| Gilford----- | 85 | Very limited Ponding Depth to saturated zone | 1.00 1.00 | Very limited Ponding Depth to saturated zone | 1.00 1.00 | Very limited Ponding Depth to saturated zone | 1.00 1.00 |
| HaA: | | | | | | | |
| Haskins----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| HaB: | | | | | | | |
| Haskins----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| HnA: | | | | | | | |
| Whitaker----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| HoA: | | | | | | | |
| Whitaker----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| HoB: | | | | | | | |
| Whitaker----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| HpA: | | | | | | | |
| Whitaker----- | 90 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| Hs: | | | | | | | |
| Hoytville----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| Le: | | | | | | | |
| Lenawee----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| Ls: | | | | | | | |
| Lenawee----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|---|------------------------------|---|----------------------|---|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Lw: Palms, drained----- | 80 | Very limited Ponding Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 1.00 | Very limited Ponding Subsidence Depth to saturated zone | 1.00 1.00 1.00 | Very limited Ponding Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 1.00 |
| Ma: Made Land----- | 100 | Not rated | | Not rated | | Not rated | |
| McA: Martinsville----- | 80 | Not limited | | Not limited | | Not limited | |
| McB: Martinsville----- | 80 | Not limited | | Not limited | | Not limited | |
| McB2: Martinsville----- | 100 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 |
| McC2: Martinsville----- | 100 | Somewhat limited Shrink-swell Slope | 0.50 0.04 | Somewhat limited Shrink-swell Slope | 0.50 0.04 | Very limited Slope Shrink-swell | 1.00 0.50 |
| MeA: Martinsville----- | 90 | Not limited | | Not limited | | Not limited | |
| MeB: Martinsville----- | 100 | Not limited | | Not limited | | Not limited | |
| MfA: Martinsville----- | 90 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 |
| MgC3: Martinsville----- | 100 | Somewhat limited Shrink-swell Slope | 0.50 0.04 | Somewhat limited Slope | 0.04 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Mh: Merrill----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| MkB2: Miami----- | 90 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Depth to saturated zone Shrink-swell | 0.99 0.50 | Somewhat limited Shrink-swell | 0.50 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|---|--------------|---|----------------------|---------------------------------------|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MLC2: Miami----- | 100 | Somewhat limited Shrink-swell Slope | 0.50 0.04 | Somewhat limited Depth to saturated zone Shrink-swell Slope | 0.99 0.50 0.04 | Very limited Slope Shrink-swell | 1.00 0.50 |
| MmC3: Miami----- | 100 | Somewhat limited Shrink-swell Slope | 0.50 0.04 | Somewhat limited Depth to saturated zone Shrink-swell Slope | 0.99 0.50 0.04 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Mn: Montgomery----- | 100 | Very limited | | Very limited | | Very limited | |

| | | | | | | | |
|-----------------|-----|-------------------------|------|-------------------------|------|-------------------------|------|
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| Mo: | | | | | | | |
| Montgomery----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| MrB: | | | | | | | |
| Morley----- | 90 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Shrink-swell | 0.50 |
| | | | | Shrink-swell | 0.50 | | |
| MrB2: | | | | | | | |
| Morley----- | 90 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Shrink-swell | 0.50 |
| | | | | Shrink-swell | 0.50 | | |
| MrC: | | | | | | | |
| Morley----- | 100 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Slope | 1.00 |
| | | Slope | 0.04 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | Slope | 0.04 | | |
| MrC2: | | | | | | | |
| Morley----- | 100 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Slope | 1.00 |
| | | Slope | 0.04 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | Slope | 0.04 | | |
| MrD2: | | | | | | | |
| Morley----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Shrink-swell | 0.50 |
| | | | | Shrink-swell | 0.50 | | |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MrE2: | | | | | | | |
| Morley----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| MsB3: | | | | | | | |
| Morley----- | 100 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Shrink-swell | 0.50 |
| | | | | Shrink-swell | 0.50 | | |
| MsC3: | | | | | | | |
| Morley----- | 100 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Slope | 1.00 |
| | | Slope | 0.04 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | Slope | 0.04 | | |
| MsD3: | | | | | | | |
| Morley----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 0.99 | Shrink-swell | 0.50 |
| | | | | Shrink-swell | 0.50 | | |
| MsE3: | | | | | | | |
| Morley----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| Na: | | | | | | | |
| Nappanee----- | 90 | Very limited | | Very limited | | Very limited | |
| | | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 |
| | | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 |
| Np: | | | | | | | |
| Nappanee----- | 90 | Very limited | | Very limited | | Very limited | |

| | | | | | | | |
|--------------|-----|-------------------------|------|-------------------------|------|-------------------------|------|
| | | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 |
| | | Depth to saturated zone | 1.00 | Shrink-swell | 1.00 | Depth to saturated zone | 1.00 |
| OfA: | | | | | | | |
| Oshtemo----- | 100 | Not limited | | Somewhat limited | | Not limited | |
| | | | | Depth to saturated zone | 0.35 | | |
| OfB: | | | | | | | |
| Oshtemo----- | 100 | Not limited | | Somewhat limited | | Not limited | |
| | | | | Depth to saturated zone | 0.35 | | |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| OfC2: | | | | | | | |
| Oshtemo----- | 100 | Somewhat limited Slope | 0.04 | Somewhat limited | | Very limited Slope | 1.00 |
| | | | | Depth to saturated zone | 0.35 | | |
| | | | | Slope | 0.04 | | |
| OsA: | | | | | | | |
| Oshtemo----- | 100 | Not limited | | Not limited | | Not limited | |
| OsB: | | | | | | | |
| Oshtemo----- | 100 | Not limited | | Not limited | | Not limited | |
| Pc: | | | | | | | |
| Pewamo----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| Pe: | | | | | | | |
| Pewamo----- | 75 | Very limited | | Very limited | | Very limited | |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 0.94 | Shrink-swell | 0.94 | Shrink-swell | 0.94 |
| PlB: | | | | | | | |
| Plainfield----- | 100 | Not limited | | Somewhat limited | | Somewhat limited | |
| | | | | Depth to saturated zone | 0.35 | Slope | 0.12 |
| PlC: | | | | | | | |
| Plainfield----- | 100 | Somewhat limited Slope | 0.04 | Somewhat limited | | Very limited Slope | 1.00 |
| | | | | Depth to saturated zone | 0.35 | | |
| | | | | Slope | 0.04 | | |
| Pmg: | | | | | | | |
| Pits, Gravel----- | 100 | Not rated | | Not rated | | Not rated | |
| RaB: | | | | | | | |
| Rawson----- | 100 | Somewhat limited | | Very limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 1.00 | Shrink-swell | 0.50 |
| | | Depth to saturated zone | 0.07 | Shrink-swell | 0.50 | Depth to saturated zone | 0.07 |
| RlA: | | | | | | | |
| Rawson----- | 90 | Somewhat limited | | Very limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to saturated zone | 1.00 | Shrink-swell | 0.50 |
| | | Depth to saturated zone | 0.07 | Shrink-swell | 0.50 | Depth to saturated zone | 0.07 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |

| | | | | | | | |
|-----------------|-----|------------------|------|----------------|------|------------------|------|
| R1B2: | | | | | | | |
| Rawson----- | 100 | Somewhat limited | | Very limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to | 1.00 | Shrink-swell | 0.50 |
| | | Depth to | | saturated zone | | Depth to | |
| | | saturated zone | 0.07 | Shrink-swell | 0.50 | saturated zone | 0.07 |
| R1C2: | | | | | | | |
| Rawson----- | 100 | Somewhat limited | | Very limited | | Very limited | |
| | | Shrink-swell | 0.50 | Depth to | 1.00 | Slope | 1.00 |
| | | Depth to | | saturated zone | | Shrink-swell | 0.50 |
| | | saturated zone | 0.07 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | Slope | 0.04 | Slope | 0.04 | Depth to | 0.07 |
| | | | | | | saturated zone | |
| Rm: | | | | | | | |
| Rensselaer----- | 75 | Very limited | | Very limited | | Very limited | |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Shrink-swell | 0.50 | | | Shrink-swell | 0.50 |
| Rn: | | | | | | | |
| Rensselaer----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| Ro: | | | | | | | |
| Rensselaer----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| Rs: | | | | | | | |
| Rensselaer----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| SaB: | | | | | | | |
| St. Clair----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| | | Depth to | 0.07 | Depth to | 1.00 | Depth to | 0.07 |
| | | saturated zone | | saturated zone | | saturated zone | |
| ScB2: | | | | | | | |
| St. Clair----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| | | Depth to | 0.07 | Depth to | 1.00 | Depth to | 0.07 |
| | | saturated zone | | saturated zone | | saturated zone | |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| ScC2: | | | | | | | |
| St. Clair----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |
| | | Depth to | 0.07 | Depth to | 1.00 | Slope | 1.00 |
| | | saturated zone | | saturated zone | | Depth to | |
| | | Slope | 0.04 | Slope | 0.04 | saturated zone | 0.07 |
| Sh: | | | | | | | |
| Shoals----- | 90 | Very limited | | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 | Flooding | 1.00 |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| Ta: | | | | | | | |
| Adrian, drained---- | 75 | Very limited | | Very limited | | Very limited | |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| | | Subsidence | 1.00 | Subsidence | 1.00 | Subsidence | 1.00 |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Content of | 1.00 | | | Content of | 1.00 |
| | | organic matter | | | | organic matter | |
| W: | | | | | | | |
| Water----- | 100 | Not rated | | Not rated | | Not rated | |
| Wa: | | | | | | | |
| Wallkill, Upland---- | 100 | Very limited | | Very limited | | Very limited | |

| | | | | | | | |
|----------------------|-----|-------------------------|------|---------------------------|------|-------------------------|------|
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | | | Content of organic matter | 1.00 | | |
| Wc: | | | | | | | |
| Wallkill, Upland---- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 0.50 | Content of organic matter | 1.00 | Shrink-swell | 0.50 |
| Wh: | | | | | | | |
| Washtenaw----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| Ws: | | | | | | | |
| Westland----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| Wt: | | | | | | | |
| Westland----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |

Table ENG-3.--Building Site Development--Continued

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Wu: | | | | | | | |
| Willette----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Subsidence | 1.00 | Subsidence | 1.00 | Subsidence | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 1.00 | Shrink-swell | 1.00 | Shrink-swell | 1.00 |